



TECNOCAT WORK SERIES

CMD | CMDB


CMD | CMDB

WORK SERIES

CMD | CMDB COMPATIBLE WITH: VS1 - VS2 - VR2 - VR3 - VR4 - VR136

	CMD-500	CMD-1000	CMD-1500	CMDB-500	CMDB-1000	CMDB-1500
	895 kg	1470 kg	2045 kg	935 kg	1510 kg	2085 kg
	-	-	-	OK Running period 12h aprox	OK Running period 12h aprox	OK Running period 12h aprox

WORK SERIES





CMDB +VR4-GB8+10




kW 600 W

 200 - 500 VAC (50 - 60 Hz) + 24 VDC

 3 m

 OK

CMD



WORK SERIES

OPTIONAL

- MI-100 WIRELESS PUSHBUTTON CONTROLLER

PICTOGRAMS



ELECTRICAL POWER



MANUAL ROTATION EQUIPMENT



NOMINAL ELECTRIC POWER



PNEUMATIC ROTATION EQUIPMENT



ENERGY AUTONOMY BY BATTERIES



MOTORIZED ROTATION EQUIPMENT



PNEUMATIC SUPPLY



HYDRAULIC ROTATION EQUIPMENT



MAXIMUM LOAD CAPACITY



EQUIPMENT WEIGHT



MAXIMUM LOAD CAPACITY ACCORDING EN-13155



VACUUM SYSTEM AIR FLOW



TILTING EQUIPMENT



PUSHBUTTON CABLE LENGTH



MANUALLY TILTING EQUIPMENT



WIRELESS PUSHBUTTON



PNEUMATIC TILTING EQUIPMENT



LOAD CAPACITY ACCORDING EN-13155



MOTORIZED TILTING EQUIPMENT



EQUIPMENT SUPPORT SYSTEM



HYDRAULIC TILTING EQUIPMENT



LIFTING CRANE USABLE ROTATION



ROTATION EQUIPMENT