



**TECNOCAT ELEVATION SYSTEMS**


**CML-B4-250**

# CML-B4-250

## ELEVATION SYSTEMS

CML-B4-250 (GR) SPECIALLY COMPATIBLE WITH: VNL-G2 - VNL-GB2


	250 kg
	450 kg
	+ 270°



**BASE FILLED WITH GRAVEL  
(GRAVEL NOT INCLUDED)**


ELEVATION SYSTEMS

## CML-B4-250 (GR) GRAVEL



Pictures of OTHER OPTIONS See details on next page

CML-B4-250 (WA) WALL



CML-B4-250 (WA) WALL + BRACKETS



CML-B4-250 (MP)  
METAL PLATE




CML-B4-250 (MC)  
METAL  
COUNTERWEIGHT




# CML-B4-250 OTHER OPTIONS

## ELEVATION SYSTEMS


### CML-B4-250 (WA) WALL




### CML-B4-250 (MP) METAL PLATE



## CML-B4-250 (WA) WALL + BRACKETS



## CML-B4-250 (MC) METAL COUNTERWEIGHT



# PICTOGRAMS



ELECTRICAL POWER



NOMINAL ELECTRIC POWER



ENERGY AUTONOMY BY BATTERIES



PNEUMATIC SUPPLY



MAXIMUM LOAD CAPACITY



MAXIMUM LOAD CAPACITY ACCORDING EN-13155



TILTING EQUIPMENT



MANUALLY TILTING EQUIPMENT



PNEUMATIC TILTING EQUIPMENT



MOTORIZED TILTING EQUIPMENT



HYDRAULIC TILTING EQUIPMENT



ROTATION EQUIPMENT



MANUAL ROTATION EQUIPMENT



PNEUMATIC ROTATION EQUIPMENT



MOTORIZED ROTATION EQUIPMENT



HYDRAULIC ROTATION EQUIPMENT



EQUIPMENT WEIGHT



VACUUM SYSTEM AIR FLOW



PUSHBUTTON CABLE LENGTH



WIRELESS PUSHBUTTON



LOAD CAPACITY ACCORDING EN-13155



EQUIPMENT SUPPORT SYSTEM



LIFTING CRANE USABLE ROTATION